



Front screen cabinet

1675x585x1115mm


P1.25 / P1.538 / P1.86 / P2 / P2.5



Ultra HD Outdoor Display



Multiple Pixel Pitch
Options Available



4000-5500cd Ultra
High Outdoor Brightness




3840/7680Hz
Ultra High Refresh Rate



14-16Bit High Gray
Scale Color Restoration

GOB Coated Anti-Damage Lamp Bead Technology

Equipped with 1010/1415 lamp beads and GOB coating, anti-collision, moisture-proof and anti-oxidation, greatly reduce dead pixel failure and cut after-sales cost outdoors.






IP65 All-Weather Outdoor Protection

The whole machine reaches IP65 professional waterproof and dustproof grade, works stably in rain, dust and strong sunlight, and is durable for long-term outdoor use.

Wireless Content Update via Mobile APP

Dedicated mobile APP supports wireless upload of posters, videos and promotions without PC, one-click update for new arrivals and holiday campaigns any-time.





103kg Lightweight Body with Universal Casters

Lightweight 103kg unit with silent casters, easy for one person to push and move, flexible placement at storefronts, exhibitions and markets.

Front screen cabinet					
Module Model	P1.25	P1.538	P1.86	P2	P2.5
Pixel Spacing	P1.25mm	P1.538mm	P1.86mm	P2mm	P2.5mm
Module Size	320×160mm				
Lamp Bead Model	1010+GOB	1212+GOB	1515+GOB		
Module Resolution	256×128Dot	208×104Dot	172×86Dot	160×80Dot	128×64Dot
Scan Mode	64S	52S	43S	40S	32S
Number of Modules	8×6				
Display Area	2.4576m²				
Display Size	1675x585x1115mm				
Whole Screen Weight	103Kg				
Full Screen Resolution	2048×768	1664 ×624	1376 ×516	1280x 480	1024×384
Brightness	650CD				
Refresh Frequency	3840Hz / 7680Hz				
Gray Level	14-16Bit				
Maintenance Method	Magnetic adsorption, Front maintenance				
Product Craftsmanship	GOB coated, waterproof & anti-collision, curved design				
Average Power	295 W				
Max Power Consumption	983 W				
Product Features	Semi-circular design, plug & play, pulley moving design, content editable via mobile APP				